AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application

LISTING OF CLAIMS

Claims 1-13 (canceled)

Claim 14 (currently amended): A method of producing ophthalmic devices from polymeric compositions produced through a polymerization of one or more macromonomers, said method comprising:

casting one or more polymeric compositions in the form of a rod;

lathing or machining said rod into disks; and

lathing or machining said disks into ophthalmic devices;

wherein said one or more macromonomers have having a formula of

wherein the R groups are the same or different; each R group comprises an aromatic group covalently attached to a linking group is selected from the group consisting of

Page 2 of 20

R₁ is an aromatic-based substituent or an alkyl; x is a non-negative integer; and y is a natural number, said method comprising:

easting said one or more polymeric compositions in the form-of-a rod;

lathing or machining said-rod-into disks; and

lathing-or-machining-said-disks into ophthalmic devices.

T-056 P.004

Serial No. 10/692,387

FROM-LAW DEPARTMENT

MAY-19-2005 01:24PM

Claim 15 (currently amended): A method of producing ophthalmic devices from polymenic compositions produced through a polymerization of one or more macromonomers, said method comprising:

pouring one or more polymeric compositions into a mold prior to curing;

curing said one or more polymeric compositions; and

removing said one or more polymeric compositions from said mold following curing thereof;

wherein said one or more macromonomers have having a formula of

wherein the R groups are the same or different; each R group comprises an aromatic group covalently attached to a linking group is selected from the group consisting of

R₁ is an aromatic-based substituent or an alkyl; x is a non-negative integer; and y is a natural number, said method comprising:

pouring one or more polymeric-compositions into a mold prior-to-curing;

curing-said-one-or-more-polymeric-compositions; and

removing-said-one-or-more polymeric compositions from said mold-following-curing thereof.

Claims 16-17 (canceled)

Claim 18 (previously presented): The method of claim 14, 15, 21, 22, 23, 24, 25 or 26 wherein said ophthalmic device is a contact lens.

+585-338-8706

Serial No. 10/692,387

Claims 19-20 (canceled)

Claim 21 (currently amended): A method of producing ophthalmic devices from polymeric compositions, said method comprising:

casting one or more polymeric compositions in the form of a rod;

lathing or machining said rod into disks; and

lathing or machining said disks into ophthalmic devices:

wherein said one or more polymeric compositions are produced through a polymerization of one or more non-siloxy aromatic-based monomers with one or more macromonomers having a formula of

wherein the R groups are the same or different; each R group comprises an arematic group covalently attached to a linking group is selected from the group consisting of

Page 6 of 20

R₁ is an aromatic-based substituent or an alkyl; x is a non-negative integer; and y is a natural number, said method comprising:

casting said one or more polymeric compositions in the form of a rod;

lathing-or-machining-said-rod into disks; and

lathing or machining-said-disks-into ophthalmic devices.

Claim 22 (currently amended): A method of producing ophthalmic devices from polymeric compositions, said method comprising:

casting one or more polymeric compositions in the form of a rod;

lathing or machining said rod into disks; and

lathing or machining said disks into ophthalmic devices;

wherein said polymeric compositions are produced through a polymerization of one or more non-aromatic-based hydrophobic monomers with one or more macromonomers having a formula of

wherein the R groups are the same or different; each R group comprises an aromatic group covalently attached to a linking-group is selected from the group consisting of

$$\frac{1}{1} \frac{1}{1} \frac{1}$$

Page 8 of 20

MAY-18-2005 01:25PM

FROM-LAW DEPARTMENT

R₁ is an aromatic-based substituent or an alkyl; x is a non-negative integer; and y is a natural number, said method-comprising:

casting said one or more-polymeric compositions in the form of a rod:

lathing or machining said rod into disks; and

lathing or machining said disks into ophthalmic devices.

Claim 23 (currently amended): A method of producing ophthalmic devices from polymeric compositions, said method comprising:

casting said one or more polymeric compositions in the form of a rod;

lathing or machining said rod into disks; and

lathing or machining said disks into ophthalmic devices;

wherein said one or more polymeric compositions are produced through a polymerization of one or more non-aromatic-based hydrophilic monomers with one or more macromonomers having a formula of

wherein the R groups are the same or different; each R group comprises an aromatic group covalently attached to a linking group is selected from the group consisting of

Page 10 of 20

FROM-LAW DEPARTMENT

MAY-19-2005 01:25PM

R₁ is an aromatic-based substituent or an alkyl; x is a non-negative integer, and y is a natural number, said-method-comprising:

casting said one or more polymeric compositions in the form of a rod;

lathing or machining said rod into disks; and

lathing or machining said-disks into ophthalmic devices.

Claim 24 (currently amended): A method of producing ophthalmic devices from polymeric compositions, said method comprising:

pouring one or more polymeric compositions into a mold prior to curing;

curing said one or more polymeric compositions; and

removing said one or more polymeric compositions from said mold following curing thereof;

wherein said one or more polymeric compositions are produced through a polymerization of one or more non-siloxy aromatic-based monomers with one or more macromonomers having a formula of

Page 11 of 20

wherein the R groups are the same or different; each R group-comprises an aromatic group covalently attached to a linking group is selected from the group consisting of

Page 12 of 20

R_t is an aromatic-based substituent or an alkyl; x is a non-negative integer, and y is a natural number, said method comprising:

pouring-said one or more polymeric compositions into a mold prior to curing; curing said one or more polymeric compositions; and

removing-said one or more polymeric compositions from said mold following curing thereof.

Claim 25 (currently amended): A method of producing ophthalmic devices from polymeric compositions, said method comprising:

pouring one or more polymeric compositions into a mold prior to curing: curing said one or more polymeric compositions; and

removing said one or more polymeric compositions from said mold following curing thereof;

wherein said one or more polymeric compositions are produced through a polymerization of one or more non-aromatic-based hydrophobic monomers with one or more macromonomers having a formula of

wherein the R groups are the same or different; each R group is selected from the group consisting of

 R_1 is an aromatic-based substituent or an alkyl; x is a non-negative integer; and y is a natural number, said method comprising:

Page 14 of 20

MAY-19-2005 01:26PM

pouring said one or more polymeric compositions into a mold prior to curing;

+585-338-8706

curing said one or more polymeric compositions; and

removing said one or-more-polymeric compositions-from said-mold-following curing thereof.

Claim 26 (currently amended): A method of producing ophthalmic devices from polymeric compositions, said method comprising:

pouring one or more polymenic compositions into a mold prior to curing;

curing said one or more polymeric compositions; and

removing said one or more polymeric compositions from said mold following curing thereof;

wherein said one or more polymeric compositions are produced through a polymerization of one or more non-aromatic-based hydrophilic monomers with one or more macromonomers having a formula of

wherein the R groups are the same or different; each R group is selected from the group consisting of

R₁ is an aromatic-based substituent or an alkyl; x is a non-negative integer, and y is a natural number, said method comprising:

pouring-said one or more polymeric compositions into a mold prior to suring; curing said one or more polymeric compositions; and removing-said one or more polymeric compositions from said mold-following curing thereof.

Claim 27 (new): A method of producing ophthalmic devices from polymeric compositions, said method comprising:

casting one or more polymeric compositions in the form of a rod:

lathing or machining said rod into disks; and

lathing or machining said disks into ophthalmic devices:

wherein said one or more polymeric compositions are produced through a polymerization of a material comprising one or more macromonomers having a formula of

wherein the R groups are the same or different; each R group comprises an aromatic group having a linking group that covalently attaches the aromatic group to a silicon atom; R_1 is an aromatic-based substituent or an alkyl; x is a non-negative integer; and y is a natural number; and wherein an attachment of the aromatic group to the silicon atom results from a hydrosilylation of an allylic functional group on the aromatic group.

Claim 28 (new): The method of claim 27, wherein said material further comprises a monomer selected from the group consisting of non-siloxy aromatic-based monomers, non-aromatic-based hydrophobic monomers, non-aromatic-based hydrophobic monomers, and combinations thereof.

Claim 29 (new): A method of producing ophthalmic devices from polymeric compositions, said method comprising:

pouring one or more polymeric compositions into a mold prior to curing;

curing said one or more polymeric compositions; and

removing said one or more polymeric compositions from said mold following curing thereof:

wherein said one or more polymeric compositions are produced through a polymerization of a material comprising one or more macromonomers having a formula of

$$CH_{2} = \stackrel{C}{C} - \stackrel{C}{C} - O - (CH_{2})_{y} - \stackrel{R_{1}}{\underset{R_{1}}{|}} - O - \stackrel{R_{1}}{\underset{R_{1}}{|}} - O - \stackrel{R_{1}}{\underset{R_{1}}{|}} - \stackrel{R_{1}}{\underset{R_{1}}{|}$$

wherein the R groups are the same or different; each R group comprises an aromatic group having a linking group that covalently attaches the aromatic group to a silicon atom; R_1 is an aromatic-based substituent or an alkyl; x is a non-negative integer; and y is a natural number; and wherein an attachment of the aromatic group to the silicon atom results from a hydrosilylation of an allylic functional group on the aromatic group.

Claim 30 (new): The method of claim 29, wherein said material further comprises a monomer selected from the group consisting of non-siloxy aromatic-based monomers, non-aromatic-based hydrophobic monomers, non-aromatic-based hydrophobic monomers, and combinations thereof.